

Showering and Bathing

AquaMaster Shower and Toileting Chair

The AquaMaster shower and toileting chairs offer a range of standard options, with static, self propelling and attendant propelled models.

Flexible

Starting with the one piece rigid frame, the chair is easily specified, with flexible options available on chair width and height, seat type, backrest, footrests and with a comprehensive range of accessories.

Versatile design

Versatile design means one frame suits different seat requirements. There is no need to replace the frame, simply the seat if side access is required.

Carer and user friendly **Height adjustment**

Using leg extension pins the height of the chair can be increased by 25mm (1") – 50mm (2") allowing chairs to be adjusted to suit changes in the users condition. It is possible to change the height of the Self Propelling models by moving the wheel from one fixing hole to another on the wheelplate, or by changing the wheel size.



Alternative wheel positions

Snap on, snap off seat design

The upholstered seat is soft, comfortable and hygienic, with a sealed base to reduce the risk of bacterial growth. Easily removable for cleaning and to help maintain hygiene standards.

Swing away, removable height adjustable footplates


Adjustable to suit user requirements and swing away for easy carer access/transfer.

Accessories

The AquaMaster is available with a host of optional accessories including commode pan.



Gutter armrest, thoracic and head support options also available.



AquaMaster Shower and Toileting Chair Range

Self propelled models A11

- *Choice of 20" (510mm) 22" (560mm) and 24" (610mm) rear wheels*



Attendant propelled models A06

** Shown with side access seat.*



A08

Self Propelling model with wheels at the front. Allows greater access where space is limited.



A12

Moulded easy clean seat with excellent thermal properties provides a warm feel to the skin. Fitted armrests and locking castors, for users up to 165kgs. Stainless steel model (A12S) available for swimming pool use.



Static model A02

Static model with 17", 19" and 21" width options

**Note: Special shower chairs can be made to order to suit individual requirements*

Quick Reference Guide – Shower Chair Selector

Product Description	Select from the following
1. Chair style	
<ul style="list-style-type: none"> Self propelled (Large front and rear wheel options), attendant propelled or static models. 	
Chair Width & Height	
<ul style="list-style-type: none"> 17"/19"/21" Wide chairs Height – Standard +25mm (1") +50mm (2') 	
2. Backrest type	
<ul style="list-style-type: none"> Straight (5° recline or upright) Push handle (5° recline or upright) 	
3. Seat Type	
<ul style="list-style-type: none"> 17", 19" and 21" Padded horseshoe – small, medium, large Padded aperture – small, medium, large Padded side aperture – medium (17" and 19" chairs), large (21" chair only) Padded flat Extended seat (50/75mm) option on all seats above except side aperture <p>* 19" = 460mm wide and 21" = 510mm wide.</p>	
4. Armrest	
<ul style="list-style-type: none"> Wide Half wide Straight 	
5. Foot rest	
<ul style="list-style-type: none"> Standard (18° or 90°) Short (18° or 90°) Footrest with foot straps Footrest with heel straps Footrest with foot and heel straps 	
6. Accessories	
<ol style="list-style-type: none"> Head support Gutter armrests Front safety bar (special arms required) Clip on padded foot tray Waist strap Harness Foot straps Calf strap Heel straps Pommel Commode pan Thoracic supports Padding for backrest – 25, 50, 75mm options (not illustrated). Please contact Technical Dept. for details Foot and heel support strap footrest options Armrest side pads – 25, 50, 75mm options (not illustrated). Please contact Technical Dept. for details 	

Showering and Bathing

AquaMaster Shower and Toileting Chair - Technical Information


Maximum User Weight
200kgs (31 stones)

Dimensions

Dimensions (based on 22" diameter wheel for rear propelled and 20" for front propelled wheel models)


Code	Size	A1	A2	B	C	D1	D2	E	F	G	H	J	J1	J2	K
Attendant															
A06	17" Frame	985	965	500	260	445	415	445	390	485	260		530	635	
A06	19" Frame	985	965	500	260	445	415	480	425	520	260		530	635	
A06	21" Frame	985	965	500	260	445	415	545	490	585	260		530	635	
Large front wheel self propelled															
A08	17" Frame	985	965	500	260	445	415	445	360	620	260	525			315+
A08	19" Frame	985	965	500	260	445	415	480	395	655	260	525			315+
A08	21" Frame	985	965	500	260	445	415	545	460	720	260	525			315+
Large rear wheel self propelled															
A11	17" Frame	985	965	500	260	445	415	445	385	635	260	440			190*
A11	19" Frame	985	965	500	260	445	415	480	435	670	260	440			190*
A11	21" Frame	985	965	500	260	445	415	545	485	735	260	440			190*
Static															
A02	17" Frame	985	965	500	260	445	415	445	395	465	n/a	550			315
A02	19" Frame	985	965	500	260	445	415	480	430	500	n/a	550			315
A02	21" Frame	985	965	500	260	445	415	545	495	565	n/a	550			315

Attendant (A06)




Allow 50-60mm for padded seat

Large front wheel self propelled (A08)



Allow 50-60mm for padded seat

Large rear wheel self propelled (A11)



Allow 50-60mm for padded seat

Static (A02)



Allow 50-60mm for padded seat

A12 (not illustrated)

Seat height (top of seat)	460	Seat width	450
Overall width	530	Seat depth	370
Internal width (between armrests)	480	Push bar height	805

Rear wheel Self Propelled models

* If 20" diameter wheel is used deduct 25mm from K
* If 24" diameter wheel is used add 25mm to K

Front wheel Self Propelled models

+ If 22" diameter wheel is used add 25mm to K
+ If 24" diameter wheel is used add 50mm to K

Note: Dimension A1, A2, B, D1 & D2 can decrease by up to 15mm if the maximum load is applied. The chair height can be increased by 25mm or 50mm by the use of leg extension pins.

If the chair is raised by 25mm add 25mm to A1, A2, B, D1, D2.

If the chair is raised by 50mm add 50mm to A1, A2, B, D1, D2.

Note: There are three different wheel size options (20", 22" and 24") which give different seat heights and clearance dimensions. Please contact Chiltern Invadex for guidance.

*Extended seat options available (50/75mm longer seat).

Dimensions shown are in mm for guidance only and are for unladen chairs.

A1 = Height (top of push handle), A2 = Clearance (under push handle), B = Height to top of frame, C = Height armrest pad (from frame), D1 = Height to underside of frame, D2 = Height to underside of commode sliders, E = Backrest width, F = Width (Internal), G = Width (External), H = Footrest projection, J = Length (castors frame leg), J1 = Length (castors toed in), J2 = Length (castors in line), K = Projection of front wheel (A08) & rear wheel (A11) from front, L = Projection of anti tip bar.



Chiltern Invadex Ltd ●
Chiltern House
6 Wedgwood Road
Bicester, Oxfordshire
OX26 4UL
Tel: 01869 246470
Fax: 01869 247214
E-mail: sales@chilterninvadex.co.uk
Web: www.chilterninvadex.co.uk



Overseas Enquiries
Tel: +44 (0) 1869 365545
Fax: +44 (0) 1869 365567
E-mail: export@chilterninvadex.co.uk

Chiltern Invadex (NI) Ltd ●
5 Balloo Way
Balloo Industrial Estate
Bangor, County Down
BT19 7QZ
Tel: 028 9145 0497
Fax: 028 9127 0046

From Eire
Tel: 048 9145 0497
Fax: 048 9127 0046

Chiltern Invadex Ltd ●
Unit 16 Evans Business Centre
68-74 Queen Elizabeth Avenue
Hillington Industrial Estate
Glasgow
G52 4NQ
Tel: 0141 880 9986
Fax: 0141 880 9990

Please contact your local distributor



Bicester is BS EN ISO 9001 approved (FM 40009).
Bangor Northern Ireland is BS EN ISO 9002 approved (FM 21085).

Copyright © Chiltern Invadex Ltd
The design of the product shown on this brochure is vested in Chiltern Invadex Ltd and should not be copied or reproduced in anyway whatsoever without the express permission in writing of Chiltern Invadex Ltd.
As part of our commitment to new product development we reserve the right to alter specifications without prior notice.
This is an original design of Chiltern Invadex Ltd in which Design Right subsists. Dimensions are for guidance only.
Published by: Chiltern Invadex Ltd, 6 Wedgwood Road, Bicester, Oxon, OX26 4UL Registered in England No: 1182024 ISSUE 1 Sept 2004
In Northern Ireland: Chiltern Invadex (NI) Ltd, 5 Balloo Way, Balloo Industrial Estate, Bangor, County Down, BT19 7QZ Registered No: NI 19958



Other products available from Chiltern Invadex include:

Showering and Bathing

Shower Cubicles
Shower Accessories
Shower Seats and Stainless Steel
Shower Chairs
Shower Trolleys and Stretchers
Walk-in and Easy Transfer Baths
Level, Easy and Step-in Showers

Moving and Handling

100 Series Ceiling Mounted Hoists
200/300 Series Ceiling Mounted
Hoists
Wheelchairs
Slings, Standing Jackets and
Accessories
Poolside Hoists
Mobile Hoists

Extended warranty and service programmes and full service contracts available on all hoists to comply with LOLER (1998) regulations.

Brochure Hotline: 0800 917 0399



www.chilterninvadex.co.uk

Showering and Bathing

AquaMaster Shower and Toileting Chair

Mobile showering solutions for the home,
hospital and care environment

